No.



8600163

# THE UNKLED SYNTES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

# Asgrow Seed Company

Withereas, there has been presented to the

### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT LETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

SOYBEAN

'A3511'

In Lestimony Winexcot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 30th day of April in the year of our Lord one thousand nine hundred and eighty-seven.

Vaclor of E. Tyry Secretary of Agriculture

Actard

Kenneth H. Evan

Plant Variety Protection Office Agricultural Marketing Service

•						
U.S. DEPARTMENT	F AGRICULTURE	3.	FOR	APPROVAL EXPIRES 4-30-85 M APPROVED: OMB NO. 0581-0055		
AGRICULTURAL MAI	Application is required in order to determine if a plant variety protection certificate is to					
APPLICATION FOR PLANT VARIE		ON CERTIFICATE	be is: held	sued (7 Ú.S.C. 2421). Information is confidential until certificate is issued .S.C. 2426).		
1. NAME OF APPLICANT(S)	2.	TEMPORARY DESIGNATION	4	ARIETY NAME A3511 P45		
Asgrow Seed Company		X3511		3/-		
4. ADDRESS (Street and No. or R.F.D. No., City, State, 9620-190-25	and Zip Code) 5.	PHONE (Include area code)		FOR OFFICIAL USE ONLY		
Gull Road, Bldg. 190 Kalamazoo, MI 49001		616-385-6605	PVP	8600163		
6. GENUS AND SPECIES NAME	. FAMILY NAME	(Botanical)	g	DATE 1/ .86/		
Glycine max	Legumino	sae	FILING	FIME JAM. P.M.		
8. KIND NAME	9. DA	TE OF DETERMINATION		AMOUNT FOR FILING		
Soybean	Se	ptember, 1982	RECEIVED	s 180000 DATE Lestember 18 1986		
10. IF THE APPLICANT NAMED IS NOT A "PERSON, partnership, association, etc.)	" GIVE FORM OF	ORGANIZATION (Corporation		AMOUNT FOR CERTIFICATE		
Corparation			FEES	\$ 200.00 RATE March 27,1987		
<ul><li>11. IF INCORPORATED, GIVE STATE OF INCORPOR</li><li>Delaware</li><li>13. NAME AND ADDRESS OF APPLICANT REPRESE</li></ul>	•	·		DATE OF INCORPORATION March 22, 1968		
As grow Seed Company Gull Road, Bldg. 190 - Kalamaz  14. CHECK APPROPRIATE BOX FOR EACH ATTACH a. X Exhibit A, Origin and Breeding History of the Exhibit B, Novelty Statement. c. X Exhibit C, Objective Description of Variety d. X Exhibit D, Additional Description of Variety	MENT SUBMITTED  ne Variety (See Sec  (Request form from	tion 52 of the Plant Variety Pr	otectio	616-385-6605		
e. A Exhibit E, Statement of the Basis of Applica						
<ol> <li>DOES THE APPLICANT(S) SPECIFY THAT SEED SEED? (See Section 83(a) of the Plant Variety Prote</li> </ol>	of THIS VARIETY	Yes (If "Yes," answer				
16. DOES THE APPLICANT(S) SPECIFY THAT THIS V LIMITED AS TO NUMBER OF GENERATIONS?	ARIETY BE	17. IF "YES" TO ITEM 16, I		CLASSES OF PRODUCTION		
Yes No		Foundation		egistered Certified		
18. DID THE APPLICANT(S) PREVIOUSLY FILE FO	OR PROTECTION	OF THE VARIETY IN THE U	.S.?	Yas (If "Yes," give date)		
			·	X No		
19. HAS THE VARIETY BEEN RELEASED, OFFERE	D FOR SALE, OR	MARKETED IN THE U.S. OF	отне	Yes (If "Yes," give names of countries and dates)		
				X No		
20. The applicant(s) declare(s) that a viable sample plenished upon request in accordance with sucl The undersigned applicant(s) is (are) the owner distinct, uniform, and stable as required in Sect Variety Protection Act.	regulations as m (s) of this sexuall	ay be applicable. y reproduced novel plant va	riety, a	and believe(s) that the variety is		
Applicant(s) is (are) informed that false represe	ntation herein ca	n jeopardize protection and	result	in penalties.		
SIGNATURE OF APPLICANT			D	PATE		
SIGNATURE OF APPLICANT				angust 11, 198 6		
SIGNATURE OF APPLICANT			l o	AIW		

Asgrow Seed Company PVP Application X3511 Soybean August 11, 1986

### EXHIBIT A

Origin and Breeding History of 4X35117 A 3511 45 3/30/87

1979-80 - Original cross was made in the greenhouse (winter)

PARENTS: Williams 82 \* A3127

- 1980 F<sub>1</sub> plants were backcrossed to A3127 in the field
- 1980-81  $BC_1F_1$  seed advanced two generations to  $BC_1F_3$  generation (winter)
  - 1981 BC<sub>1</sub>F<sub>3</sub> seed advanced to BC<sub>1</sub>F<sub>4</sub> generation
- 1981-82 200 BC<sub>1</sub>F<sub>4</sub> plants were selected, threshed individually, and (winter) tested for resistance to Phytophthora root rot.
  - 96 Phytophthora root rot resistant BC1F4 derived lines were visually evaluated in progeny rows. Progeny row number A3127-11 was selected for its uniformity, standability and disease resistance. This row was harvested in bulk and seeds were checked and verified for uniform seed coat luster and hilum color.

It was in September, 1982, that A3127-11 was determined to be a stable and unique line.

- 1983 Seed of A3127-11 was increased and evaluated for phenotypic uniformity and Phtyophthora root rot resistance. It was found to be phenotypically uniform for all agronomic traits and resistant to race 1 of Phytophthora root rot.
- 1984 A3127-11 was entered in the Strain S399 yield tests which were grown at 9 locations in Iowa, Illinois, Indiana and Nebraska. It produced uniform stands and was selected for its very high yield, standability and disease resistance.
- 1985 A3127-11 was entered in the Vareity V301 yield tests which were grown at 15 locations in Iowa, Illinois, Indiana, Ohio, Missouri, Nebraska and Maryland. It was selected as the second highest yielding variety out of 30 entries in the test.

A3127-11 was nominated for pilot production and assigned the maturity designation X3511. Breeder seed of X3511 was produced at Ames, Iowa.

20100000 ·

'A3511'
Trial evaluations since 1982 indicate X3511 is uniform and stable.
As with other soybean varieties, variants can occur for almost any characteristic during the course of repeated sexual reproduction.

SEP 1 8 1986 >
Projection Ofc

# EXHIBIT B 'A3511'

Novelty Statement Concerning X3511 Soybean

'A3511'

To our knowldge the soybean variety that most closely resembles X3511 is A3127. Characteristic which differentiates  $\Re$ 3511 include, but is not necessarily restricted to phytophthora root rot resistance.

### Phytophthora Race

Variety	1	2	3	4	5	7	8	9	12	13	17	21
X3511 <b>'A3511'</b>	R	R	R	R	R	R -	R	R	S	R	R	R
A3127	S	S	S	S	S	S	S	S	S.	S	S	S

R = Resistance

S = Susceptible

'A3511'

 $\rm X3511$  appears to contain the  $\rm Rps_1{}^k$  allele whereas A3127 contains the rps allele.

lka

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

# OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	1
Asgrow Seed Company	Х3511	'A3511'
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip C 9620-190-25 Gull Road, Bldg. 190 Kalamazoo, MI 49001	Code)	FOR OFFICIAL USE ONLY PVPO NUMBER  8600163
Choose the appropriate response which characterizes the vin your answer is fewer than the number of boxes provide Starred characters * are considered fundamental to an adowhen information is available.	ed, place a zero in the first box	when number is 9 or less (e.g., 0 9).
		d (L/W ratio > 1.2; L/T ratio = < 1.2) l (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	The second secon	<u> </u>
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	r (Specify)
SEED COAT LUSTER: (Mature Hand Shelled Seed)  1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Neb	osoy'; 'Gasoy 17')	
SEED SIZE: (Mature Seed)		
7 Grams per 100 seeds	van v	and the second s
HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect BI	ack 6 = Black 7 = Other (Specify)
COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green	en e	
SEED PROTEIN PEROXIDASE ACTIVITY:	· · · · · · · · · · · · · · · · · · ·	
2 1 = Low 2 = High	Mark Commence of the Commence	Control of the Contro
SEED PROTEIN ELECTROPHORETIC BAND:	and the state of t	
2 1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )		and the second of the second o
HYPOCOTYL COLOR:	·	
1 = Green only ('Evans'; 'Davis') 2 = Green wit 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	th bronze band below cotyledons ( )	'Woodworth'; 'Tracy')
LEAFLET SHAPE:		
<del>ala</del> en la transferia de la companya della companya de la companya de la companya della company	A TO SUPERING A SECTION A	
2 1 1 = lanceolate 2 = Ovol 2 = Ovoto	4 - Osban (C-maifed	

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

			ings of an inger-		en er samman.		8600	163
1.1	1. LEAF	LET SIZE:	4/	(1) - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		and the same of the same	And the second s	
	2	1 = Small ('Amsoy 71'; 'A531 3 = Large ('Crawford'; 'Tracy'	2')	2 = Medium ('Corso	y 79'; 'Gasoy 17')	e e escala de la compansión de la compan		
12	LEAF	COLOR:		<u>. 1990 – San Jana Barakan, </u>				
% : *	3	1 = Light Green ('Weber'; 'Yor 3 = Dark Green ('Gnome'; 'Tra	k')	2 = Medium Green (		ton'}		
k 13	B. FLOW	ER COLOR:						
41 -	2	1 = White 2 = Pu	rple	3 = White with purple t	hroat	т түмдөн түй	en de la companya de La companya de la co	
14	. POD C	OLOR:				<del></del>		
\ \	1	1 = Tan 2 = Brown	3 = 1	Black		Seed to the seed of the seed o	Conservation of the Conser	
15	, PLANT	PUBESCENCE COLOR:	······································					
1.	2	1 = Gray 2 = Brown	(Tawny)					**** ** ***
16	, PLANT	TYPES:			gradient allegen in	F 42 Type	en de la partir v	15. All
	2	1 = Stender ('Essex'; 'Amsoy 7' 3 = Bushy ('Gnome'; 'Govan')	17)	2 = Intermediate ('A	mcor'; 'Braxton')		and the second s	
-	: 	HABIT:					1 248	
7 18.	3 MATUI 0 6	3 = Indeterminate ('Nebsoy'; 'I RITY GROUP: 1 = 000	3 = 0 11 = VIII	4 = I 5 = II 12 = IX 13 = X			8 = V	· · ·
19.	DISEAS	SE REACTION: (Enter 0 = Not	Fested; 1 = Suscep	tible; 2 = Resistant)	and the second s	<del>den <u>i persi</u> Dingge</del>	en e	and the second
	BACT	ERIAL DISEASES:				the profit of		
*:	0	Bacterial Pustule (Xanthomonas	s <i>phaseoli</i> var. <i>soje</i>	nsis)				
*	0	Bacterial Blight (Pseudomonas g	llycinea)		e de la companya de l	And the second	en e	
*	0	Wildfire (Pseudomonas tabaci)		<del>n</del> e e e e e e e e e	en e	the topological		
•	FUNGA	L DISEASES:		•		and the second		
*	0	Brown Spot (Septoria glycines)		•		er er ûn sya ak M		a e
		Frogeye Leaf Spot (Cercospora	sojina)			en e		
*	0	Race 1 Race 2	0 Race 3	Race 4	n Race 5	Other	(Specify)	······································
	0	Target Spot (Corynespora cassiio	colaj		en e		. <u>A</u> 1-1	<del></del>
	1 3			والبوار والمالي في المن		to engineering the second		
	0	Downy Mildew (Peronospora tri	foliorum var, man.	shurica)				•
	2	Downy Mildew (Peronospora tri		shurica)	entre entre de la companya de la co			
*		·	diffusa)	shurica)	e de la companya de			

19	DISEA	SE REACTIO	N: (Enter 0 = Not	rested; 1 = Sus	sceptible; 2 =	Resistant)	(Continued)	High and was to the control of the c	respective temperature	and the side of the second	Control of the Contro
	FUN	IGAL DISEAS	ES: (Continued)							,	
*	0	Pod and Ste	m Blight <i>(Diaporthe</i>	phaseolorum	var; <i>sojae)</i>	•		•			-2.2
A	0	Purple Seed	Stain (Cercospora k	ikuchii)			•				
	0	Rhizoctonia	Root Rot <i>(Rhizoct</i>	onia solani)							
		Phytophtho	ra Rot ( <i>Phytophtho</i>	ra megasperma	var. <i>sojae)</i>						
*	2	Race 1	2 Race 2	2 Race	3 2	Race 4	2 Race	5 0 1	Race 6	2 Rac	:e 7
	2	Race 8	2 Race 9	2 Other	r (Specify)	Races	13, 17 an	d 21	-		
	VIRA	AL DISEASES	······································	<del></del> .		•		,			
	0	Bud Blight (	Tobacco Ringspot V	'irus)	•						
	0	Yellow Mosa	aic (Bean Yellow Mo	saic Virus)				•			
$\overset{\cdot}{\bigstar}$	0		aic (Cowpea Chloro								
	0	Pod Mottle (	Bean Pod Mottle Vi	rus)							
*	0	Seed Mottle	(Soybean Mosaic Vi	rus)							
	NEM	ATODE DISE	ASES:								
		Soybean Cys	t Nematode (Hetero	dera glycines)							
*	0	Race 1	0 Race 2	Race 3	3 7	Race 4	Other	(Specify)			
		Lance Nemat	tode (Hoplolaimus C	olombus)	لىخسىا						
*		Southern Ro	ot Knot Nematode (	Meloidogyne is	ncognita)		•				
*	O		ot Knot Nematode (				4				
	H		Knot Nematode (Me		•	·					
			matode ( <i>Rotylenchu</i>				V				
			ASE NOT ON FOR								
									******		
20.	PHYSIOI	LOGICAL RE	SPONSES: (Enter (	= Not Tested	; 1 = Suscept	tible; 2 = Re	sistant)				
*		Iron Chlorosis	on Calcareous Soil								
		Other <i>(Specif</i> )	n								
21. I	NSECT	REACTION:	(Enter 0 = Not Test	ed; 1 = Suscep	tible; 2 = Re	sistant)	and the second second		<u> </u>		
			Beetle (Epilachna va	4.5			Africa Service	in the state of	+ 11		
			opper <i>(Empoasca fai</i>						.11		
		Other <i>(Specify</i>		- <b></b> ,		,		-			
22 1							<del>i dela della dell</del>	ere e un terro de la companya de la	<u> </u>		
ZZ. I		<del></del>	RIETY MOST CLO			· ·			•		
PI	CHARA lant Shap	<u> </u>	A3127	OF VARIETY			RACTER		IAME OF VA	RIETY	
	eaf Shape		A3127		•		pat Luster	A3127	<u>.</u>		· ·
	eaf Color		A3127			Seed Si	· · · · · · · · · · · · · · · · · · ·	A3127 A3127	187 - 127 187 - 127	:	
	eaf Size		A3127			3 1.1dr	Pigmentation	A3127		·	<u></u>
-20					e si na serie.	<del></del>	• • • • • • • • • • • • • • • • • • •				

#### 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFL	ET SIZE	SEED CON	TENT	SEED SIZE G/100	NO. SEEDS/ POD
	MATURITY			CM Width	CM Length	% Protein	% Oil	SEEDS	
<x35117 Submitted A 3 5 11 R/S</x35117 	140	1.9	88	8.0	11.9	44.0	20.7	16.7	2.6
A3127 Name of Similar Variety	136	1.8	86	7.9	11.6	44.8	20.8	15.2	2.6

#### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



8

### EXHIBIT D

Additional Dexcription of the Variety

'A3511' 145

∠X35117 is a mid Maturity Group III cultivar that possesses outstanding and consistent yield potential relative to other cultivars of similar maturity. It is phenotypically very similar to its widely grown recurrent parent, A3127, with the exception of having specific race resistance to at least 11 out of the 25 documented races of Phytophthora megasperma. ★3511 combines good standability and emergence with improved yield and Phytophthora resistance to provide farmers a superior alternative to many widely grown mid Group III cultivars.

JEM:st

Asgrow Seed Company
PVP Application - Soybean X3511 'A3511' 2/5
August 11, 1986

8600163

### EXHIBIT E

## Statement of the Basis of Applicant's Ownership

A3511 was originated and developed by Dr. John A. Schillinger, Dr. James Miller, and Dr. Alan K. Walker, Asgrow Plant Breeders. By agreement between employee and Asgrow Seed Company, all rights to any invention, discovery, or development made by an employee are assigned to the Company. No rights to such invention, discovery, or development are retained by the employee.

1ka